

# Revolution Oil

Revolution Oil Limited  
Dagnall Road,  
Great Gaddesden  
Hemel Hempstead  
Hertfordshire  
HP1 3BP  
England

Tel: +44 (0) 1442 842999

[www.revolutionoil.co.uk](http://www.revolutionoil.co.uk)  
[www.q8oils.co.uk](http://www.q8oils.co.uk)

[sales@revolutionoil.co.uk](mailto:sales@revolutionoil.co.uk)  
[enquiries@revolutionoil.co.uk](mailto:enquiries@revolutionoil.co.uk)

Registered in England & Wales  
No.4356026

VAT Reg No. GB 815 3964 16

**Q8 Oils**  
*authorised distributor*

## Technical Data Sheet

Leibniz 0w/30 Fully  
Synthetic

## Leibniz 0w/30 Fully Synthetic

### Fully Synthetic Engine Oils

#### Description

Leibniz 0w/30 is a fully synthetic top tier passenger car engine oil designed to meet the pressured demands of many modern petrol and diesel car engines.

Leibniz 0w/30 is an intricate blend of synthetic base oils, pour point depressant, viscosity modifier and a unique additive package delivering high performance.

#### Application

Leibniz 0w/30 is designed for many types of modern passenger cars and vans, especially those requiring a fuel saving engine oil.

#### Benefits

- Exceptional low temperature properties
- Improved performance
- Fuel economy savings
- Peak performance throughout even the longest service intervals
- Unsurpassed levels of engine protection

#### Performance Level

- ACEA A5/B5, A1/B1
- API SL/CF
- BMW LONGLIFE-01 FE
- VOLVO SUITABLE

#### Typical Inspection Data

Kinematic Viscosity @ 40° (cSt)	53.5
Kinematic Viscosity @ 100° (cSt)	10
Viscosity Index	177
Pour Point ° C	-50
Flash Point °C	210

---

Specific Gravity @ 15 Degrees Centigrade	0.843
TBN (mgKOH/g)	10

\*\*In line with our policy of continued improvement, Revolution Oil Ltd reserves the right to change specification and availability without prior notice. E and O E.\*\*